


MPR SERIES

PULL-OUT AND ROTATING 19" RACKS



The MPR series racks make each installation of 19" equipment simple throughout a an open frame rack with floating slide-out and rotating system. In fact, their design allows easy mounting in walls or furniture, providing convenient access to the back of the equipment for maintenance. Moreover, the pull-out base can rotate up to 90° in both directions, while lateral and rear cable support systems to ensure effective cable management. These racks come in various heights ranging from 6 to 42 rack units, with different depths, extraction capabilities, and load capacities from 120 kg to 250 kg. Each rack includes safety locking systems for both extraction and rotation to ensure operational safety. Additionally, a top panel can be optionally added for installing ventilation fans.




19" Pull-Out and Rotating System

MPR LC200 triple extraction version is our floating slide-out and rotating 19" rack with a store capacity for yours AV and IT systems up to 42 rack units and 150 kg. With two strong telescopic steel slides with increased extraction this rack is suitable for demanding use and in addition, it a security lock systems preventing unwanted rotations during use. Slide the rack out and flip it around 180° for easy access during installation or maintenance.

Keep your systems organized with included wire management plates and L rail profiles and cool with the optional rack top where fans can be installed through standard mounting points. It is finished in a black fine structure (RAL9005) powder coating with the front pedal lock in red (RAL 3020) but other colours and finishes are available on request.


Available is the enhanced configuration with four triple extraction slides for heavy duty applications up to 42 RU and 240 kg load. The slide-out lock system is not present in this version with extra pull-out capability.



Main Features

- 19" floating pull-out and rotating rack
- Extra pull-out capability
- Load capacity up to 42 RU and 150 kg
- Robust 2 mm steel sheet base
- Easy to be assembled
- Rotation lock system
- Pre-assembled sliding base
- Flat pack delivery
- Top panel with ventilation design available on request
- Other colours or finishes available on request
- Rack rails available with threaded holes
- Load capacity up to 42 RU and 240kg available on request

Technical Drawing



Product Overview

Art. No.	Units	Dimensions (Width x Height x Depth)	Colour	RAL	EAN
V-MPR-LC200-TRE-6	6 RU	490 x 342 x 515mm	black fine structure	9005	
V-MPR-LC200-TRE-8	8 RU	490 x 432 x 515mm	black fine structure	9005	
V-MPR-LC200-TRE-10	10 RU	490 x 520 x 515mm	black fine structure	9005	
V-MPR-LC200-TRE-12	12 RU	490 x 610 x 515mm	black fine structure	9005	
V-MPR-LC200-TRE-14	14 RU	490 x 698 x 515mm	black fine structure	9005	
V-MPR-LC200-TRE-16	16 RU	490 x 788 x 515mm	black fine structure	9005	
V-MPR-LC200-TRE-18	18 RU	490 x 876 x 515mm	black fine structure	9005	
V-MPR-LC200-TRE-20	20 RU	490 x 965 x 515mm	black fine structure	9005	
V-MPR-LC200-TRE-24	24 RU	490 x 1144 x 515mm	black fine structure	9005	
V-MPR-LC200-TRE-28	28 RU	490 x 1322 x 515mm	black fine structure	9005	
V-MPR-LC200-TRE-32	32 RU	490 x 1500 x 515mm	black fine structure	9005	
V-MPR-LC200-TRE-36	36 RU	490 x 1678 x 515mm	black fine structure	9005	
V-MPR-LC200-TRE-40	40 RU	490 x 1855 x 515mm	black fine structure	9005	
V-MPR-LC200-TRE-42	42 RU	490 x 1944 x 515mm	black fine structure	9005	

Special configuration with four triple extraction slides for heavy duty applications up to 42 RU and 240 kg load:

Product Overview

MPR-MAX-TRE-24	24 RU	490 x 1144 x 515 mm	black fine structure	9005	
MPR-MAX-TRE-28	28 RU	490 x 1322 x 515 mm	black fine structure	9005	
MPR-MAX-TRE-32	32 RU	490 x 1500 x 515 mm	black fine structure	9005	
MPR-MAX-TRE-36	36 RU	490 x 1678 x 515 mm	black fine structure	9005	
MPR-MAX-TRE-40	40 RU	490 x 1855 x 515 mm	black fine structure	9005	
MPR-MAX-TRE-42	42 RU	490 x 1944 x 515 mm	black fine structure	9005	